





Resists impacts against stubble puncture Extensive tire life

### STRONG CONSTRUCTION

Optimized sidewall flexibility Higher productivity

#### MULTI- RIB PATTERN

Provides better ground contact and weight distribution Lower soil compaction

### SUPERIOR TREAD COMPOUNDS

For high durability and low rolling resistance Better fuel economy

# 1100 (I-1)

# BIAS TIRES BUILT FOR IMPLEMENT APPLICATIONS



- Designed for free rolling wheels on wagons, hay balers, seeders and fertilizer spreaders
- Heavily grooved ribs offers easy steering

## Roadability Load Carrying Capacity Soil Protection

**TYRE SIZES** 

**15** 

9.5L-15SL

11L-15SL

12.5L-15SL

### **TECHNICAL DATA**

	TYRE SIZES	PR	TT / TL	RIM		Unloaded Inflated Dimension		SLR	RC
				Rec. inch	Alt. inch	± 2 % mm	± 2 % mm	mm	± 2.5 % mm
15									
	9.5L-15SL	8	TL	8LB	-	241	765	340	2242
	11L-15SL	8	TL	8LB	10LB	270	770	342	2256
	12.5L-15SL	8	TL	10LB	-	310	820	362	2403
	12.5L-15SL	10	TL	10LB	-	310	820	362	2403
	12.5L-15SL	12	TL	10LB	-	310	820	362	2403

#### LIMITED WARRANTY

All tires manufactured by Global Rubber Industries (Pvt) Ltd. are covered under limited warranty against materials, workmanship and any other manufacturing defects subjected to the usage of these tires under specified conditions. Please refer our standard warranty policy for further details

GRI is a leading producer of Specialty Tires from Sri Lanka with offices in six countries and sales in over 50 countries around the world. GRI produces high-performance Agriculture, Construction and Material Handling Tires. GRI's state-of-the-art factory is the largest in Sri Lanka to produce specialty tires and the first to produce radial agriculture tires. Technological innovation, engineering strength and operational excellence have powered GRI through rapid growth to become a leader in specialty tires. GRI is certified in ISO 9001:2015 - Quality Management, ISO 50001: 2011 - Energy Management and ISO 14001:2004 Environmental Management.

DISTRIBUTOR:			