



CUT AND CHIP RESISTANT TREAD COMPOUND

Ensures resistance against wear and cuts Extensive tire life

UNIQUE TREAD DESIGN

Enables higher traction Better productivity

EXTENDED CENTER LUG OVERLAP

Enhances stability and improves traction Better fuel economy

STURDY AND ROBUST NYLON CASING

Provides extraordinary impact and shock resistance Extensive tire life



GT222

BIAS TIRES BUILT FOR GRADERS

- Specially designed for grader machines
- · Special tread design enhances traction and self-cleaning properties
- Special rubber compound offers better tire life

Load Carrying Capacity Ground Stability



TYRE SIZE

24.0

13.00-24

14.00-24

16.00-24

TECHNICAL DATA

	TYRE SIZE	PR	TT / TL	RIM		Unloaded Inflated Dimension SW OD		SLR	RC
				Rec. inch	Alt. inch	± 2 % mm	± 2 % mm	mm	± 2.5 % mm
24.0									
	13.00-24	12.0	TL	8.00 TG SDC	9.00/1.5(DC)	333	1278	582	3785
	13.00-24	16.0	TL	8.00 TG SDC	9.00/1.5(DC)	333	1278	582	3785
	14.00-24	16.0	TL	8.00 TG SDC	9.00/1.5(DC)	362	1348	598	3962
	16.00-24	16.0	TL	10.00 VA SDC		429	1450	635	4318

LIMITED WARRANTY

All tires manufactured by Global Rubber Industries (Pvt) Ltd. are covered under limited warranty against materials, workmanship and any other manufacturing defects subjected to the usage of these tires under specified conditions. Please refer our standard warranty policy for further details

GRI is a leading producer of Specialty Tires from Sri Lanka with offices in six countries and sales in over 50 countries around the world. GRI produces high-performance Agriculture, Construction and Material Handling Tires. GRI's state-of-the-art factory is the largest in Sri Lanka to produce specialty tires and the first to produce radial agriculture tires. Technological innovation, engineering strength and operational excellence have powered GRI through rapid growth to become a leader in specialty tires. GRI is certified in ISO 9001:2015 - Quality Management, ISO 50001: 2011 - Energy Management and ISO 14001:2004 Environmental Management.

DISTRIBUTOR:			