



# CUT AND CHIP RESISTANT TREAD COMPOUND

Ensures resistance against wear and cuts Extensive tire life

# UNIQUE TREAD DESIGN

Enables higher traction Better productivity

# EXTENDED CENTER LUG OVERLAP

Enhances stability and improves traction Better fuel economy

# STURDY AND ROBUST NYLON CASING

Provides extraordinary impact and shock resistance Extensive tire life



# **GT222 (G2-L2)** BIAS TIRES BUILT FOR GRADERS



- Specially designed for grader machines
- · Special tread design enhances traction and self-cleaning properties
- Special rubber compound offers better tire life

#### Traction



TYRE SIZE						
24.0						
13.00-24						
14.00-24						
16.00-24 *						

# **TECHNICAL DATA**

		PR	ττ / τι	RIM		Unloaded Inflated Dimension		SLR	RC
	TYRE SIZE					sw	OD		
				Rec. inch	Alt. inch	±2% Inch	±2% Inch	Inch	± 2.5 % inch
24.0									
	13.00-24	12	TL	8 TG SDC	9/ 1.5 (DC)	13	51	23	149
	13.00-24	16	TL	8 TG SDC	9/ 1.5 (DC)	13	51	23	149
	14.00-24	16	TL	8 TG SDC	9/ 1.5 (DC)	14	52	23	156
	16.00-24 *	16	TL	10 VA SDC		17	57	25	170

\* Under Development

# LIMITED WARRANTY

All tires manufactured by Global Rubber Industries (Pvt) Ltd. are covered under limited warranty against materials, workmanship and any other manufacturing defects subjected to the usage of these tires under specified conditions. Please refer our standard warranty policy for further details

GRI is a leading producer of Specialty Tires from Sri Lanka with offices in six countries and sales in over 50 countries around the world. GRI produces high-performance Agriculture, Construction and Material Handling Tires. GRI's state-of-the-art factory is the largest in Sri Lanka to produce specialty tires and the first to produce radial agriculture tires. Technological innovation, engineering strength and operational excellence have powered GRI through rapid growth to become a leader in specialty tires. GRI is certified in ISO 9001:2015 - Quality Management, ISO 50001: 2011 – Energy Management and ISO 14001:2004 Environmental Management.

# **DISTRIBUTOR:**